







UNESCO/IOC – NOAA ITIC Training Program in Hawaii (ITP-TEWS Hawaii)
TSUNAMI EARLY WARNING SYSTEMS
AND THE PACIFIC TSUNAMI WARNING CENTER (PTWC) ENHANCED PRODUCTS
TSUNAMI EVACUATION PLANNING AND UNESCO IOC TSUNAMI READY PROGRAMME

15-26 September 2025, Honolulu, Hawaii

Preparedness for Maritime Community Tsunami Planning for Ports and Harbours Japan Examples

Dr. Laura Kong
Director, ITIC





Marine Preparedness: Ports and Harbors

New policy in Japan after Tohoku tsunami –





Japan Meteorological Agency May 2018

Laura Kong, ITIC (NTHMP, July 2018)

Damages at ports and narbors were seen in wider area of Pacific coast of East Japan (Aomori, Iwate, Miyagi, Fukushima, Ibaraki and Chiba) by Tohoku tsunami in 2011.

(c) MLIT

















Some caissons slid down due to tsunami force and mound washout by the overflowed tsunami




Tsunami flow concentrated to slid-down caissons
It washed out mound and makes decline of caissons





Even tsunami pushed caissons, extended mound can prevent sliding down of caissons



Mound is also protected by cover to prevent washout


- Promotion of <u>tsunami protection/evacuation measures</u> along with targets for disaster prevention/mitigation
 - ✓ Two kinds of measurements for <u>high-frequency</u> tsunamis and <u>largest class</u> tsunamis
 - ✓ Protection of inner area by seawalls
 - ✓ Evacuation plan at ports and harbors
 - ✓ Enhancement of <u>decision-making system</u>
- Establishing water gates facility management and operation
 - ✓ Safety-first management
 - ✓ Promotion of <u>automation and remote control</u>


For high-frequency tsunami (once in several tens of years)

For largest class tsunami (once in several hundreds of years)

Targets for disaster prevention/mitigation







(c) MLIT

International SOLAS

Handbook for making tsunami evacuation manual - Ship Operators

Study Meeting for Improving Ship Evacuation during Tsunami Ministry of Land, Infrastructure and Transport March, Heisei 26 (2014)

Introduction

- Utilization of creation guidance
- How to prepare ship tsunami evacuation manual
- Large-scale earthquake targeted for consideration at the Cabinet Office Central Disaster Prevention Council
- Assumption of damage of tsunami caused by a large-scale earthquake
- Tsunami evacuation manual preparation Structure of guidance

I Collection of earthquake and tsunami information

- 1. Information to be collected at the occurrence of the earthquake (Meteorological Agency Presentation Information)
- 2. Tsunami information to be grasped in advance

II Determine the status of the ship at the time of the tsunami attack


- 1. Available communication equipment and priority
- 2. Securing crew
- 3. Canceling cargo handling
- 4. Possibility to secure navigation support
- 5. Influence of tsunami in mooring state

III Grasp the surrounding situation at the time of the tsunami attack

- 1. Damaged situation at a terminal
- 2. Information such as evacuation advice to ships
- 3. Port in port transport Information on control
- 4. Evacuation area

IV Judgment of tsunami correspondence behavior

- 1. Evacuation outside the port
- 2. Mooring enhancement





III Navigation safety information

- 1. Information on sinks, drifting objects, etc.
- 2. Safety information on navigation during evacuation
- 3. Judgment after tsunami warning / warning notice
- 4. Emergency secured route information

VI Other events that may occur at the time of the tsunami attack

- 1. When your ship is damaged by an earthquake
- 2. When your ship is to be evacuated
- 3. Evacuation to the land area Action
- 4. Support for foreign captain

VII Othar

National - Guidelines on harbor tsunami evacuation measures

September Heisei 25 (2013)

Ministry of Land, Infrastructure and Transport Harbor Bureau

1 About the guidelines on harbor tsunami evacuation measures ...

- 1.1 Purpose of guideline
- 1.2 Formulation of guidelines Purpose
- 1.3 Goal of the guideline
- 1.4 Positioning of guidelines
- 1.5 Review based on guidelines and plan to cooperate
- 1.6 Major terms used in guidelines

2 Basic idea concerning formulation of tsunami evacuation countermeasures in ports

- 2.1 Basic idea on tsunami countermeasures at ports
- 2.2 The role of port administrator, country (regional development agency, etc.) related to the formulation of tsunami evacuation measures etc
- 2.3 Ports that need to formulate tsunami evacuation countermeasures at ports
- 2.4 Scope of Tsunami Evacuation Measures at Harbor
 - 2.4.1 Target person
 - 2.4.2 Target area
 - 2.4.3 Target tsunami
 - 2.4.4 Tsunami after the earthquake Target period for evacuation
 - 2.4.5 Countermeasure period for tsunami evacuation measures at ports

3 How to formulate tsunami evacuation countermeasures at ports

- 3.1 Matters that need to be determined in tsunami evacuation measures at ports
- 3.2 Arrangement of characteristics of harbors
- 3.3 Establishment of Tsunami Inundation Assumption at Harbor
- 3.4 Setting of evacuation target area
 - 3.4.1 Review and setting of areas subject to evacuation
 - 3.4.2 Examination and Extraction of Evacuation Difficult Areas
 - 3.4.3 Examination and setting of emergency evacuation sites, tsunami evacuation facilities, evacuation routes, etc.
- 3.5 Securing the safety of those who need to engage in other tasks when a tsunami occurs
- 3.6 Securing means of transmission of tsunami information etc.
- 3.7 Criteria for evacuation judgment in port area
- 2.9 Communicating the tourami evacuation measures, enlightenment



4 Advancement of tsunami evacuation measures in harbors by further tsunami countermeasures

- 4.1 Basic idea of further measures against tsunami evacuation
- 4.2 Further case of tsunami countermeasures
- 5. Self assessment of tsunami evacuation measures (evaluation check list)

Protect ships from Tsunami

- Probability of a large, M8-M9 class earthquake
- occurring within 30 years is appx. 70%.
 A large tsunami may arrive at a short notice on several fronts in Japan.

To decide on evacuation actions quickly, it is important to make Ship's Tsunami evacuation manual & Response against Tsunami Checklist in advance.





Damaged ships by Tsunami in Great East Japan Earthquake


Response against Tsunami Checklist

Format of the "Ship's Tsunami Evacuation Manual" with one sheet (front/back) for **3 important steps** on tsunami evacuation measures

- 1) Basic items to be filled in advance
- 2) Information to be confirmed when earthquake / tsunami occurs

How to Fill out 'Response against Tsunami Checklist'

- Check the guidance on "How to Fill out 'Response against Tsunami Checklist" in our website.
- In preparation for a Tsunami occurring, it is recommended to actively seek information on tsunami
- · in advance.
- Each Ship's Captain fills in the blanks on consultation with ship's agents.
- Even if Captain may not fill in all the blanks in the front page, this sheet can work as a checklist.
- It should be noted that the use of this sheet is not obligatory by statute.



		Working Tir	ne (minute		
	Suspend the cargo handling works	5			
	Call the crews	2	30		
Emergency Departure	Prepare for leaving pier/port (Start the engine and thruster)	17			
	Release/cut the Mooring → Departure	5			
	Notify the land and operating company after departure	1	1		
	Call the crews	2			
	Tight and add mooring lines and tighten the brake of mooring winch	3			
	Prepare for anchoring	2	15		
Staying Alongside	Prepare the engine and thruster as a readiness for mooring the break and drifting	3			
Minifesina	Discuss and instruct to suspend cargo handling	3			
	Check the waterproofing, and close the waterproof doors and sea water valves	1			
	Notify and confirm with the land and operation company	1			
F	Count the number of crews and check the tally	3	10		
Evacuation to the Land	Instruct to complete evacuation to the land	3			
	Shipside works required until evacuation to the land is completed	4			

Fill in the blank table (decision guideline) based on the information obtained. Warning Level More than 30 minutes Within 30 minutes More than 30 minutes Major Tsunami Minor Tsuna-m 1 – 3 m Emergency Departure Emergency Departure Emergency Departure Staving Alongside Warning Low Tsunami Staying Alongside | Emergency Departure | Emergency Departure | Emergency Departure

[Port: Port of XX] Cargo Ship lame: John Smith



		Respons	e against Ts	unami	i Checkl	ist			
	(Thi		not authorized						
	Port and Ship	Port and Ship Information							
Confir	Port:					Berthing direction: Inbound / Outbou			
	Berth / Quay:	Berth / Quay:				Quay: Seismic design / Non-seismic des			
	Ship name:	Ship name:				Gross Tonnage:			
m in	Ship type:		Crew:		Cargo:				
Confirming before port entry in advance	Basic Informa Safe water area Location: La Time to arrive s	: From (atitude: Lo	ongitude:	Degree (Distand		Water dep			
ort	Place of evacua				ndling supi	oort: Tug (Yes •	No)		
enti				1	8	77.11.10	,		
ry in ad	Agent:	Contact Point				ating company:			
	Stevedore:				Harbor Master:				
van	Liner:	Liner:				Japan Coast Guard:			
ıce	Tug Company:	Tug Company:				Other:			
						assumed maximum Tsunami height: m e of arrival:)			
R	Response aga	Response against Tsunami (Basic Policy)							
espoi		Tsunami height	On berthing		3	On anchoring			
Response against Tsunami (Basic Policy)	Warning level		Within ∼minutes		ore than minutes	Within ∼minutes	More than ~minutes		
inst T Policy	Major Tsunami warning	More than 3m							
suna)	Tsunami warning	1~3m							
<u>⊒</u> .	Tsunami advisory	Less than 1m							
					1		•		
			Earthquake, Tsuna	ami is occ	currred!!				
Juc		Earthquake Information (Date -)							
Judge if Earth Capt	Time h	Scal		Pla M	ice		Seismic Intensity		
Earth			Teunam	i Infor	formation				

Tsunami warning

m Anticipated height

Tsunami advisory

m

Major Tsunami warning

Time to arrival of Tsunami

Port:	1	Cargo Snip
Basic Response List		

	(Fill in the as far	as practicat
Keep monitoring the latest information of Tsunami. (from TV, Radio or VHF)	Confirm Tsunami occurrence in from Port master, Harbor admi etc	
Emergency departure	*Continue to obtain the information (from TV, Radio or VHF)	on of Tsunami
☐ ① Interruption of cargo work	1	minutes)
☐ ② Crew readiness		minutes)
☐ ③ Standby for departure (Engine and Thruster if provided)		minutes)
☐ ④ Consider support Tug, handler and Mooring crew are necess	sary or not	
\square \circledcirc Confirm store landing facilities (Crane, Loading Arm, Bellows	s Chute, etc) available	
\square \circledcirc Check the suitability of the departure route (Proximity of ha	zards and other vessels in way of de	parture
route)		minutes)
☐ ⑦ Unmooring or cutting lines	,	
☐ ⑧ Give notice to the shore (relevant departments or the operation)	ating company), after departure	
	(minutes)
Staying alongside	*Continue to obtain the informatio (from TV, Radio or VHF)	n of Tsunami
☐ ① Crew readiness	(minutes)
\square \oslash Tending mooring lines / Tightening brakes of mooring winch	nes	minutes)
☐ ③ Standby anchor	(minutes)
\square $\textcircled{4}$ Standby engine and thruster if provided (To avoid damaging	g of lines, Surging)	minutes)
\square $\mbox{\Large \circledcirc}$ Discuss or instruct for the interruption of Cargo work, etc	(minutes)
\square \circledcirc Check watertight measures (close all the watertight doors /	openings, etc)	minutes)
\square \bigcirc Give notice to the shore (relevant departments or the operation	ating company)	minutes)
\square $\ensuremath{ ext{ }}$ Check the ways to obtain the latest information.		
(Preparing vessel on the advice or the indication from Harb (Check the safe water area in advance for the emergency of Check the safe area, the evacuation route for evacuation in the control of the con	departure)	:c)
Evacuation to the land	*Continue to obtain the information (from TV, Radio or VHF)	on of Tsunami
☐ ① Crew readiness		minutes)
☐ ② Check the safe area, the evacuation route, the required time	e to evacuate etc	
□ ③ Instruct crew to evacuate to land		minutes)
☐ ④ Carry out the required work on board till Evacuation to the	land (minutes)
(Disengaging the connections such as loading facilities between		minutes)
(

Attention in case of drifting (Additional points)

Type of Tauriann		Available]	itaviyatiliy			
Forecast		Time before	Vessel and medium-sized vessel (including fishing vessel)		Small boat	Anchored	Vessel (includin	Small boat
	tsur arri		Vessels with hazardous material	Standard (include a working ship)	Pleasure boat & fishing boat	& mooring buoy	g fishing boat)	
		imminent	Halt cargo handling and all	Halt cargo handling &	(A)	(E)	(B)	(B) or (A) after
	Major		other operation & (B)	(A)				getting a shore
Tsunami	3m, 4m,		(general rule)				=	
Warning	6m, 8m,	medium	Halt cargo handling and all	Halt cargo handling &	(D) or (A)	(E) or (B)		(B) or (D)
	Over		other operation & (B)	(B) or (A)	((B) in some case)			((A) in some case)
	10m		(general rule)					
		enough	Halt cargo handling and all	Halt cargo handling &	(D)	(B)		(B) or (D)
			other operation & (B)	(B)	((B) in some case)			
		imminent	Halt cargo handling and all	Halt cargo handling &	(A)	(E)	(B)	(B) or (A) after
	Tsunami		other operation & (B)	(A) or enforce mooring				getting a shore
	1m, 2m		(general rule)					
		medium	Halt cargo handling and all	Halt cargo handling &	(D) or (A)	(E) or (B)		(B) or (D)
			other operation & (B)	(B) or (A) or enforce	((B) in some case)			((A) in some case
			(general rule)	mooring				
		enough	Halt cargo handling and all	Halt cargo handling &	(D)	(B)		(B) or (D)
			other operation & (B)	(B) or enforce mooring	((B) in some case)			
Tsunami	Tsunami		Halt cargo handling &	Halt cargo handling &	(D) or (B)	(C) ((B) or (E)	(B)	(D), (B) or enforce
Advisory	Attention		enforce mooring or (B)	enforce mooring or (B)		in some case)		mooring
	0.5m							
			The enterprise shall		If there is appropriate	(ZZZ) see		
Remarks			prepare a manual in		evacuation area in	below		
			advance.		out of port for small			
					boat, (B) is also			
					recommended.			

⁽A) Evacuation on land : All crew shall evacuate to the higher ground because an evacuation by ship is expected to be high risk. Make an effort to prevent the flowing out of ships and security actions for hazardous materials as much as possible.

⁽B) Evacuation out of port: Evacuate to the deep water depth and broad area of out of port. (If there is no time to evacuate, stay in the designated emergency









UNESCO/IOC – NOAA ITIC Training Program in Hawaii (ITP-TEWS Hawaii) TSUNAMI EARLY WARNING SYSTEMS AND THE PACIFIC TSUNAMI WARNING CENTER (PTWC) ENHANCED PRODUCTS TSUNAMI EVACUATION PLANNING AND UNESCO IOC TSUNAMI READY PROGRAMME

15-26 September 2025, Honolulu, Hawaii

Thank You

Dr. Laura Kong Director, ITIC



